



www.cocobasic.com
<https://cocobasic.ticksy.com/>
cocobasicthemes@gmail.com

Template Manual

Seppo HTML

Thank You :)

Thanks for purchasing template and for supporting our work. Seppo is our new fancy template. Responsive, clean and professional look with sleek design will satisfy all your needs.

You will need basic HTML, CSS, jQuery skills to edit Seppo HTML. We will try to help you out with this documentation. If we fail here, you can always contact us on <https://cocobasic.ticksy.com/> and our developers will try to solve your issue.

How To Install?

Considering that Seppo is HTML template, with fully functional email notification mechanism for sending messages via contact form, all you need to do is to upload all template files via your FTP account to your web server (for uploading files you can use FTP client like **FileZilla**) and just to modify one line of code in **config.php** file. To edit the **config.php** you can use any text editor (for example **NotePad++**)

These are parameters that you need to modify:

- Your email addresses where you want to receive emails filled with informations from contact form.

In **config.php** file, you will see this pattern:

```
$email = "yourmail@here.com";    //<-- Your email
```

You need to modify only the value on the right side.

Do not remove any quote or double quote signs while doing this.

Folder Structure

TEMPLATE

```
|  
|  
|--- css  
|    |--- all css files (except main style.css file)  
|  
|--- fonts  
|    |--- font awesome files  
|  
|--- images  
|    |--- all demo images  
|  
|--- js  
|    |--- all js files  
|  
|--- php  
|    |--- sendMail.php  
|  
|--- all .html files  
|  
|--- style.css (main css files)
```

Which file to edit?

Of course, you can edit any of files from above (if you know what you are doing) also you can add (include) some additional JS/CSS files for some additional features, but if your skills are limited and you want just to replace the demo/dummy content with your own, you need:

- To edit **.html** files (using some text editor, for example **NotePad++**) and to change the demo content (text) with your own
- If you don't need some part from our demo content, I am suggesting to use comments tags in html files to disable that part.
More about HTML comments tags -
<https://html.com/tags/comment-tag/>
- To override the images from **images** folder with your own
- Change only main **style.css** file to set your own colors, font size, etc...
- Edit **config.php** file and set your own mail address

HTML Structure

Seppo consist several HTML files

- index.html - Front (Big) page
- portfolio-1.html
- portfolio-2.html
- portfolio-3.html
- portfolio-4.html
- single.html
- blog.html

To edit the **html** file you can use any text editor (for example **NotePad++**).

General HTML structure

Each .html file has **head** tag which looks like this:

```
<head>

    <title>Seppo - Corporate One Page WordPress Theme</title>

    <meta http-equiv="Content-Type" content="text/html; charset=UTF-8">

    <meta name="description" content="Template by CocoBasic" />

    <meta name="keywords" content="HTML, CSS, JavaScript, PHP" />

    <meta name="author" content="CocoBasic" />

    <meta name="viewport" content="width=device-width, initial-scale=1, maximum-scale=1">

    <link rel="shortcut icon" href="images/favicon.ico" />

    <link href='https://fonts.googleapis.com/css?family=Rubik:400,700,700i' rel='stylesheet'
type='text/css'>

    <link rel="stylesheet" type="text/css" href='style.css' />

    <!--[if lt IE 9]>

        <script src="js/html5shiv.js"></script>

        <script src="js/respond.min.js"></script>

    <![endif]-->

</head>
```

Here you need to set your own **title**, **description**, **keywords** and **author**. Also, don't forget to create your own **favicon** and to replace the default one (it is placed in **images** folder). If you need to change/add Google fonts, you need edit this line:

```
<link href='https://fonts.googleapis.com/css?family=Rubik:400,700,700i' rel='stylesheet' type='text/css'>
```


Also, each .html file consist the **header** part and here you will find the code for preloader:

```
<div class="doc-loader">  
      
</div>
```

and also the code for the menu:

```
<ul class="main-menu sm sm-clean">  
    <li>  
        <a href="#home">Home</a>  
    </li>  
    <li>  
        <a href="#services">Services</a>  
    </li>  
    <li>  
        <a href="#about">About</a>  
    </li>  
    ...  
</ul>
```

As you see, each link in the menu start with “#” - this is because Seppo has sections (Home, Service, About ...) which are the part of one big page, and with code like that (**href="#about"**) we have smooth scroll inside the big one page.

In case that you need a link to some external page (which is not a part of big scrolling page), you will use code like this:

```
<a href="external.html">External</a>
```

Or to some external website:

```
<a href="http://externalsite.com/">External Site</a>
```

And the last part which is the same for all .html files is a **footer**.

Inside the footer tag there is some content (mail, social icons, etc...) which is the same on all pages and just below that, there is a part of code where we are including all **JS** files which we are using in our template. This part looks like this:

```
<!--Load JavaScript-->

<script src="js/jquery.js"></script>

<script src="js/jquery.sticky.js"></script>

<script src="js/tipper.js"></script>

<script src="js/jarallax.js"></script>

<script src="js/jarallax-element.min.js"></script>

<script src='js/imagesloaded.pkgd.js'></script>

<script src='js/jquery.fitvids.js'></script>

<script src='js/jquery.smartmenus.min.js'></script>

<script src='js/isotope.pkgd.js'></script>

<script src='js/owl.carousel.min.js'></script>

<script src='js/jquery.sticky-kit.min.js'></script>

<script src='js/main.js'></script>
```

Front Page index.html

On Home page are placed 11 sections:

Home, Services, About, Clients, News, Portfolio, Pricing, Team, Skills, Milestones, and Contact. Each section is separated and start with code like this:

```
<!-- Home Section -->
    <div id="home" class="section no-page-title">
        ...
    </div>

<!-- Services Section -->
    <div id="services" class="section">
        ...
    </div>
```

Also, for each of this sections you will find in main **style.css** file appropriate css code, like this (example for Home section):

```
/* =====  
  
    3. Home Section CSS  
  
===== */  
  
#home {  
  
    background-image: url(images/hero_image_01.jpg);  
  
    background-position: center center;  
  
    background-size: cover;  
  
    background-repeat: no-repeat;  
  
    min-height: calc(100vh - 77px);  
  
    display: flex;  
  
}  
  
#home .section-wrapper {  
  
    margin: auto;  
  
    padding: 0;  
  
}  
  
h1.big-text {  
  
    color: #fff;  
  
    font-size: 80px;  
  
    line-height: 120%;  
  
    margin-bottom: 40px;  
  
}
```

Now, for each section we will explain just some part of code which is specific for it.

About Section

On this section you will find code like this:

```
<div class="one_half last" data-threshold="0 0" data-jarallax-element="120 0">  
    
</div>
```

Here is important part **data-jarallax-element="120 0"**. This mean, the element will have a parallax effect and will start **120px** above of his "regular" position. When you scroll down, it will also move down.

Of course, you can set a negative value here like **data-jarallax-element="-120 0"** and that mean, the item will be **-120px** bellow of his position, and when you start to scroll, it will move up to her "regular" position.

The second parameter (which is **0** in our case) can be used to make element move left/right with parallax effect on scroll:

data-jarallax-element="0 50" or to move up/down and left/right **data-jarallax-element="120 50"**.

The second important part is this **data-threshold="0 0"** - that mean, that the element will stop scroll when he reach the "original" position. If you set some value or remove that code, it will start scroll in other direction when you rich the 0 0 position. That mean, if you set code like this (without **data-threshold**): **data-jarallax-element="120 0"** the element will scroll from 120px to -120px of his "regular" position.

Portfolio Section

Portfolio Items Links - portfolio items are linked via ajax. When you click on image, the code will load a portfolio html file and will get just content part from that file and show it directly on front/one page.

Here is a example for portfolio item which is loading content via ajax:

```
<div id="p-item-1" class="grid-item element-item p_one_fourth">

    <a class="item-link ajax-portfolio" href="portfolio-1.html" data-id="1">

        

        <div class="portfolio-text-holder">

            <p class="portfolio-desc">INTERIOR</p>

            <p class="portfolio-title">Living Room</p>

        </div>

    </a>

</div>
```

Portfolio item content is loaded in page using Ajax. The important part here is this 2 lines of code:

```
<div id="p-item-1" class="grid-item element-item p_one_fourth">
    <a class="item-link ajax-portfolio" href="portfolio-1.html" data-id="1">
```

Class **"ajax-portfolio"** must be included if you want to have in page/ajax load. If you remove this class, the link will work on "regular way" and will open the page which you have set in **"href"**. Another important part, is to set unique **data-id** number of each item like: **data-id="1" , data-id="2" , data-id="3"**

Also, the **id="p-item-1"** must be unique for each item.

So, when you click on portfolio item image, the ajax will load the content from html file which is set in **"href"** attribute (in example above it is **"portfolio-1.html"** file).

The ajax will load a whole file, but we are displaying only content which is placed inside this div:

```
<div class="portfolio-item-wrapper center-relative content-1170">  
...  
</div>
```

All content which is placed inside this div will be loaded and displayed on front/home page (index.html) using Ajax.

Image Slider

On portfolio-1.html you will find code like this (image slider code):

```
<script>

    var slider2_speed = "2000";

    var slider2_auto = "true";

    var slider2_hover = "true";

</script>

<div id="slider2" class="image-slider-wrapper relative">

    <div id="slider" class="owl-carousel owl-theme image-slider slider">

        <div class="owl-item">

            

        </div>

        <div class="owl-item">

            

        </div>

        <div class="owl-item">

            

        </div>

    </div>

</div>
```

If you need one more slider, duplicate that code and change “**slider2**” string on several places with new string, for example “**slider3**”. So you will have “**slider3_speed**”, “**slider3_auto**”, id=“**slider3**”...

CSS Structure

In **css** folder are placed all css files except the main **style.css** file which is in the root folder.

Basically, you don't need to change any of this css files which are placed in **css** folder - the only css file which may you need to change (if you need it at all) is **style.css** file.

In **style.css** file you will find code for each section and also for other parts like image slider, text slider, contact form, etc... and each of this part is start with code (comment code) like this:

```
/* =====  
    5. About Section CSS  
===== */
```

so you will easy find css code each part.

JS Structure

In **js** folder are placed all js files.

There are all 3rd part js files (files for sliders, parallax moving, tipper, jquery, etc...) except the **main.js** - this is our custom file.

In this file you will find the code for set up the image slider, text slider, enable parallax moving, menu, sending mails, etc....

If you need to change some part here, in JS code, you will need to have some JS skills to do that. If you have trouble, please use our support forum to contact us and we will try to help you.

Note:

We are giving support only for the features which are included with template not for additional one.

Source & Credits

Special thanks to creators and contributors of these awesome libraries, we couldn't done this without them.

Images used in theme

<https://unsplash.com>

Vldeo used in template

<https://vimeo.com/157276599>

jQuery Isotope Plugin

<http://isotope.metafizzy.co>

HTML5 Fallback Support

<https://code.google.com/p/html5shiv>

Respond JS

<https://github.com/scottjehl/Respond>

jQuery

<http://jquery.com>

Google Web Fonts

<http://www.google.com/webfonts>

Smart Menus

<http://www.smartmenus.org/>

Font Awesome

<http://www.fontawesome.io/>

FitVideo.js

<http://fitvidsjs.com/>

Sticky

<http://stickyjs.com/>

Sticky-Kit

<http://leafo.net/>

Tipper.js

<https://github.com/FormstoneClassic/Tipper>

Jarallax

<https://github.com/nk-o/jarallax>

We are sorry if we forgot to mention someone.

Questions?

We tried to help you out with this documentation. So please read carefully. If we fail here, you can always go to our [support forum](#) and post a new discussion in appropriate category. Our developers will try to solve your issue.

Thanks for understanding.



www.cocobasic.com

<https://cocobasic.ticksy.com/>

cocobasicthemes@gmail.com